Eclipse Roll Top Bag: Pick it up, pack it in and roll out with our Eclipse Roll Top Bag! Built from the finest quality materials and designed here in the U.S.A. Pack the Eclipse with your weekend supplies for that trip to the mountains, beaches or city streets ... The Eclipse Roll Top Bag also features our Magnetic Lock System provided by our good friends at Fidlock. The Eclipse is where Tech meets Nature.

Features: Whiskey leather zip pulls, Snaps and handle, ergonomic heavy duty shoulder straps designed for ease of use, inner laptop compartment, inner stash pocket and key chain ring snap and attachments for the MDT Elevate Kit.


Eclipse Tech Specs

- Dimensions: 13.5" x 31" x 6.5"
- Bag Volume: 2720.25 cubic inches
- Bag Rating: Heavy Duty AAA
- Weight: Approx: 0.77KG
- Trip Rating: 3 4 Days

Materials:

- Black / 100% Polyester
- Blue / Tan / 100% Nylon

MDT Elevate Kit: The MDT Elevate Kit Keeps You Outdoors Longer by utilizing a 6.5 Watt American made solar cell panel and a beefy 5000 mAh battery. The MDT Elevate Kit can charge your iPhone2, GoPro2, Galaxy S2, MP3/iPod Nano2, EReader/Kindle2, Tablet/iPad2 & iPad Mini2, and 1,000's more! TheMDT Elevate Kit attaches to each of our MDT bags or to other bags by using the included attachments. Attach the MDT Elevate Kit to your bike, tent, car dashboard, motorcycle, ATV, snowmobile or to whatever you can come up with using the attachment system.



Panel Colors:

- Black
- Sand
- Navy Blue

Solar Panel Tech Specs:

- Maximum Power (Pm) / 6.5 W
- Power Tolerance / -5%

- Voltage at Max Power (Vmp) / 6.5W
- Current at Max Power (Imp) / 1.00A
- Open Circuit Voltage (Voc) / 7.8V
- Short Circuit Current (lsc) / 1.12A
- Operating Temperature / -40 °C-+85°C
- Maximum System Voltage / 700Volt
- Maximum Series Fuse Rating / 3A
- Standard Test Condition / Irradiance 1000W/m Module temperature 25° CAM=1.5

Mechanical Characteristics:

- Solar Panel Dimensions / 165x295x3mm measure panel
- Junction Box/Connector / Ip54 rated

Solar Panel Charger Characteristics:

- Material / 600 D 100% Nylon (Sand and Navy Blue) (Black) 500 D Rip Stop 100% Polyester
- Product Size / 12.3" x 6.5"
- Net Weight / 200g
- Output / 5V USB
- One-Year Warranty

MDT Elevate Battery: The MDT Elevate Battery features a weather resistant case, LED charge and battery level display and attached USB port dust plug.

Charging Time:

- Solar Panel Charging Battery: 6-8 hours Direct Sunlight
- Battery Charge time for Smart Phone: 2 hours from dead to full charge.

Mechanical Characteristics:

- Battery Capacity: 5000 mAh
- Battery Type: Lithium-ion Polymer
- Battery Rechargeable Lifecycle: 500 Times

- Battery Level Indicator: Blue LED display
- One-Year Warranty

Accessories:

- 1 Solar Panel Charger
- 1 5000 mAh Battery
- 4 "hook and loop" attachments
- 1 USB charge Cable
- 1 Connected Cable
- 6 mobile phone adaptors: Sony Ericsson K7502, Nokia N702,
- Samsung D8002, Moto v32, micro 5 pin and iPhone 4

Orbit Pack: Designed for the rider/outdoor enthusiast who plans on hitting the streets, slopes and beaches all day long. The Orbit Pack is big enough to carry all the supplies to Keep You Outdoors Longer. The Orbit Pack has a built-in computer compartment and plenty of room for your gear. There's also a secondary compartment with multiple pockets and stash areas to hold your personal effects. The Orbit Pack is designed in the U.S.A. and is the must have bag for your next excursion into the wild!

Features: Whiskey Leather Zip pulls, snaps, and handle, ergonomic heavy duty shoulder straps designed for ease of use, zipper skateboard compartment, inner laptop compartment, multiple inner stash pockets for your personal effects, mesh side water bottle pocket, secondary side pocket, and key chain ring snap, top of the line quality stitching and attachments for the MDT Elevate Kit.

Orbit Tech Specs:

- Dimensions: 13" x 20" x 8"
- Bag Volume: 2080 Cubic inches
- Bag Rating: Heavy Duty AAA
- Weight: Approx. 0.59 KG
- Trip Rating: 2+ Days.
- Materials:
 - Black / 100% Polyester
 - Blue/Tan / 100% Nylon